

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
11 October 2001 (11.10.2001)

PCT

(10) International Publication Number  
WO 01/74460 A2

(51) International Patent Classification<sup>7</sup>: A63F

(21) International Application Number: PCT/IB01/00666

(22) International Filing Date: 30 March 2001 (30.03.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
09/541,592 3 April 2000 (03.04.2000) US

(71) Applicant and

(72) Inventor: MUNIZ, Mario, V. [BR/BR]; Rua Volny Martins, 20, Florianopolis, CEP-88037-240 Santa Catarina, SC (BR).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,

DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: LOTTERY GAME

<input type="checkbox"/> DEFAULT PLAY MODE <input type="checkbox"/> PERSONALIZED PLAY MODE	
CHOOSE THE TYPE OF LOTTERY: [01] [02] [03] [04] [05] [06] [07] [08] [09] [10]	
CHOOSE YOUR FAVORITE NUMBERS	
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	
16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	
31 32 33 34 35 36 37 38 39 40 41 42 43 44 45	
46 47 48 49 50 51 52 53 54 55 56 57 58 59 60	
61 62 63 64 65 66 67 68 69 70 71 72 73 74 75	
76 77 78 79 80 81 82 83 84 85 86 87 88 89 90	
91 92 93 94 95 96 97 98 99	SURPRISE => [ ]
HOW MANY NUMBERS [1] [2] [3] [4] [5] [6] [7] [8] [9] [10]	
FOR THE QUICK PICK: [11] [12] [13] [14] [15] [16] [17] [18] [19] [20] [21] [22] [23]	
CHOOSE THE MATRIX - PERSONALIZED PLAYS ONLY:	
[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] OR CHOOSE ALL	
[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] MATRICES => [ ]	
SAME MATRIX POWER BALL <input type="checkbox"/> SAME MATRIX BONUS BALL <input type="checkbox"/>	
ALL POWER BALL LOTTERIES <input type="checkbox"/> ALL BONUS BALL LOTTERIES <input type="checkbox"/>	
YES TO LOTTERIES WITH UP TO THREE SERIES OF DRAWS => [ ]	
CHOOSE A GROUP OF LOTTERIES => [A] [B] [C] [D] [E] [F]	
FOR MULT-DRAWS MARK => [04] [08] [12] [24] [52]	
YES TO BET PARCIAL HITS EXTRA JACKPOT => [ ]	
YES TO BET EXTRA JACKPOT FOR 'ALL WINNERS OF THE WEEK' OF ALL TYPES OF LOTTERIES => [ ]	
LOTTERIES LOTTO SPECIAL CODE MARK HERE	
[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] [A] [B]	MARK TO VOID ALL [ ]
[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] [C] [D]	
[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] [E] [F]	

(57) Abstract: A new lottery game provides players with an expanded opportunity to win a prize based on a play. The new lottery game increases official lottery revenues by encouraging increased play of local lotteries. The new lottery game includes a system and a method for monitoring lottery results in jurisdictions other than that of the player. A player in one jurisdiction may play a local lottery game and not match the draw in that jurisdiction. However, the numbers chosen by the player may match a draw conducted in another jurisdiction. In this event, the player may win a consolation prize that may be smaller in amount than the jackpot awarded in the player's own jurisdiction. Whereas before the player would have won nothing from the player's own local lottery, the player playing the new lottery game at least wins some money. The lottery game may be twined, or coupled to a local lottery game. In determining what play to make in the new lottery, the player may choose numbers according to a type of the coupled local lottery. The lottery game may only be played by a player who first plays the local lottery game. The lottery game also may be played as a stand alone game.

WO 01/74460 A2

## Lottery Game

### Technical Field

The technical field is lottery games and similar games of chance.

### Background

Lotteries, especially government sponsored and regulated lotteries, are very popular in the United States and in most other countries. Currently, almost 40 States sponsor or regulate lotteries and over 300 lotteries are played world-wide. In the United States, most state lotteries are run or regulated by a state lottery organization. The state lottery organization sells lottery tickets, or chances to win a prize. The money to fund the prize comes from current ticket sales. The States like lotteries because they generate much-needed income. Players like the opportunity to win the prize.

The prize is often a winner-take all jackpot (after subtracting out the State's expenses and the amount reserved by the State to meet its funding objectives). Other prizes may be lower than the jackpot, and may be based, for example, on the amount of risk the player is willing to take. The higher the risk (the longer the odds), the larger the payout. Other lotteries provide for partial payouts. For example, if the basic lottery requires matching five numbers to win the jackpot, a match of four of the five numbers may obtain a partial prize of 1/100 of the jackpot.

These lotteries generally require a player to select one or more numbers from a matrix of numbers. The cost of one such play is often nominal, for example, \$1. The player may be told instantly whether the number selected is a winning number. Alternatively, the player may have to wait for as long as a week until an official number selection is completed by the State lottery organization.

Many States impose severe restrictions on lotteries. A common restriction is that the player must actually be in the jurisdiction in which the lottery sale is made. Thus a player in a first jurisdiction cannot purchase a lottery ticket for another jurisdiction without physically being in that jurisdiction. Another restriction is that gambling is not permitted using the Internet. These and other similar restrictions may cause certain players to go to extreme means in order to purchase a lottery ticket, including traveling long distances. This behavior may become more

1       widespread as the size of the jackpot grows. In some lotteries, jackpots routinely reach  
2       \$100,000,000 or more.

3               These restrictions, particularly the physical presence requirements, make lottery games  
4       less desirable, and may lead to a loss of lottery sales.

#### 5       **Summary**

6               A new lottery game includes a system and a method for monitoring lottery results in  
7       jurisdictions other than that of the player. A basic condition for winning a prize with the new  
8       lottery is a match between numbers drawn in a lottery of a jurisdiction in which the player did  
9       not play a local lottery. A player in one jurisdiction, such as a state, province, territory or  
10      country, for example, may play a local lottery and not match a draw of the local lottery in that  
11      jurisdiction. However, the numbers chosen by the player may match a draw conducted in  
12      another jurisdiction. In this event, the new lottery game may allow the player to win a  
13      consolation prize. Such a consolation prize may be smaller in amount than the jackpot awarded  
14      by the player's own local lottery. Whereas before the player would have won nothing from the  
15      player's own local lottery, the player playing the new lottery game at least wins some money.

16              In an embodiment, the new lottery game is preferably twined, or coupled to a local  
17      lottery game. In this embodiment, the new lottery game is only played by a player who first  
18      plays the local lottery game. Furthermore, the new lottery game may require the player to play  
19      against only those types of lotteries that the player has played. Alternatively, the new lottery  
20      game may allow the player to choose the lottery type against which to play.

21              In another embodiment, the new lottery game may be played as a stand alone game.  
22      In yet another embodiment, the new lottery game may be played as a combination of a stand  
23      alone lottery game and a twined local lottery game. In yet another embodiment, the new lottery  
24      game may be played over the Internet. In still another embodiment, the concepts of the new  
25      lottery game may be included in a board game. In yet another embodiment, the new lottery  
26      game may be conduct a separate draw to award a separate jackpot. The new lottery game  
27      may award smaller prizes for partial matching of the play and the draw.

28              Operation of the new lottery game, in conjunction with the local lotteries, may follow  
29      certain general rules. The new lottery game may be played only when coupled to the play of  
30      a local lottery. A play of the new lottery game may be compared to only to draws of lotteries

1 that operate outside a jurisdiction in which the player played the coupled local lottery. The new  
2 lottery game may require the player to designate a type of lottery. For example, if the player  
3 plays a specific type of a local lottery, the player may be required to designate the same type  
4 of lottery for purposes of playing the new lottery game. In picking numbers, the player selects  
5 numbers according to the local lottery's matrix. Such a matrix may comprise numbers up to  
6 99. Differences in matrix sizes between the local lotteries and the matrix of the new lottery  
7 game do not affect the operation of the new lottery game, but may impact the probability of a  
8 player's play matching a draw of a non-local lottery. The new lottery game may give prizes  
9 based on draws of all official lotteries of types 1 through 10 throughout the world, for example.  
10 The new lottery is flexible and may accommodate other lotteries, such as lotteries that include  
11 the use of bonus numbers. The new lottery game may not be operated in conjunction with any  
12 non-official or non-authorized lottery. In an embodiment, the new lottery game may not be  
13 operated using a publicly accessible network, such as the Internet.

14 Rules for playing the lotto may be provided in a brochure. A reduced instruction set  
15 may be provided on a side of the play slip opposite that of the matrix. The play slip and the  
16 brochure may also be used to list common lottery types, and jurisdictions in which lottery types  
17 are available. The brochure may be provided to players by mailing, by posting on an Internet  
18 web site, or by using any other acceptable medium.

19 The new lottery game should increase local lottery income because more players will  
20 be attracted to the local lottery games. The new lottery game may be played without requiring  
21 a wager from the player. Thus, the only wager collected is from the local lottery. In other  
22 embodiments, the new lottery game may required a sliding wager scale, based on the odds that  
23 the player is able to achieve.

24 The new lottery game, or world lotteries lotto, takes advantage of winning numbers that  
25 occur in jurisdictions outside the player's current jurisdiction, or outside a jurisdiction in which  
26 the player plays a local lottery. This new lottery game concept provides an added incentive to  
27 play a local lottery game. In addition, the new lottery game concept also provides existing  
28 jurisdiction (provinces, states, countries) with increased lottery revenues.

### 29 Description of the Drawings

1           The detailed description will refer to the following drawings, in which like numerals refer  
2   to like elements, and wherein:

3           Figure 1A illustrates a local lottery scheme;

4           Figure 1B illustrates a multiple jurisdiction lottery scheme;

5           Figure 2A is a block diagram of a lottery system incorporating a world lotteries lotto;

6           Figure 2B is a more detailed block diagram of the world lotteries lotto;

7           Figure 2C is an overall schematic of a world lotteries lotto scheme;

8           Figure 3 illustrates an example play slip for use with the world lotteries lotto;

9           Figure 4 illustrates a play slip for a local lottery;

10          Figure 5A illustrates an alternative local lottery play slip;

11          Figure 5B illustrates a draw based on the play slip of Figure 5A;

12          Figure 6A illustrates a portion of a local lottery play slip;

13          Figure 6B illustrates a portion of the lottery play slip of Figure 6A adapted to support  
14   play of the world lotteries lotto;

15          Figure 7A illustrates an alternate embodiment of a play slip for use with the world  
16   lotteries lotto;

17          Figure 7B is an expanded view of the play slip of Figure 7A;

18          Figure 7C illustrates an example of a local lottery play ticket;

19          Figure 8 is a diagram illustrating a calendar for playing the world lotteries lotto;

20          Figure 9 illustrates an alternate embodiment of a play slip for use with the world  
21   lotteries lotto;

22          Figure 10 is a flow diagram illustrating processes used to play the world lotteries lotto;

23          Figure 11 illustrates an example of a graphical user interface that may be used with the  
24   world lotteries lotto; and

25          Figure 12 is illustrates an example of a board game incorporating the world lotteries  
26   lotto concept.

## 27   **Detailed Description**

28          A world lotteries lotto allows players in one jurisdiction to win a consolation prize  
29   based on matching numbers from a lottery in a second or non-local jurisdiction. The world  
30   lotteries lotto may take advantage of information sharing between different lottery organizations.

1 The world lotteries lotto may be played "on top of" or coupled to a local lottery. That is, to  
2 play the world lotteries lotto, a player may first be required to select a local lottery to play.  
3 Alternatively, the world lotteries lotto may be played as a stand alone lottery. In either event,  
4 local lotteries may participate in the world lotteries lotto. This may be necessary because the  
5 world lotteries lotto may require information from local lotteries. This information may be most  
6 efficiently gathered if all local lotteries participate in the world lotteries lotto. The information  
7 may also be gathered from non-participating lotteries. Moreover, the local lotteries may be  
8 government run or regulated, implying that the world lotteries lotto may at least be government  
9 regulated.

10 Lottery games such as those of the local lotteries are described in the art. An example  
11 is U.S. Patent 6,017,032 to Grippo, et al., which is hereby incorporated by reference in its  
12 entirety.

13 Money to fund the world lotteries lotto may come from a variety of sources, including  
14 an extra charge to play the world lotteries lotto on top of a local lottery, increased local lottery  
15 sales that may occur because of the existence of the lotto, and other sources.

16 As stated above, participating lotteries may be run or regulated by a government or  
17 quasi-government organization. Such a lottery organization may exist within a single  
18 governmental jurisdiction, for example, a State of the United States. Other lottery organizations  
19 may cross governmental jurisdictions. An example of such a multiple jurisdiction lottery  
20 organization is a multi-state lottery organization. In the discussion that follows, reference to a  
21 lottery organization should be understood to refer to an official, or government, organization,  
22 and reference to a jurisdiction or a specific example of a jurisdiction should be understood to  
23 refer to any political entity, including a state, province, territory, or country, and in the case of  
24 a multi-jurisdiction lottery, any one of the multiple jurisdictions.

25 A lottery may be categorized by one or more features. As an example, a lottery may  
26 include one or more features related to a player picking one or more numbers from one or  
27 more matrices of numbers. This step of selecting numbers may be called a play or a bet.  
28 Execution of the play usually requires the player to pay a small amount of money, called a  
29 wager. The play may be executed manually by the player using a play (or number) selection  
30 mechanism. The play may also be executed by a computer that may function as a part of a

1 lottery system. A computer-based number selection may be called a surprise selection. The  
2 play (the numbers chosen manually by the player or by the computer) is then compared to  
3 another set of random numbers that is also chosen from the one or more matrices. This later  
4 set of numbers may be called a draw. The draw may be executed by the computer that  
5 functions as part of the lottery system.

6 The play selection mechanism may include a play slip containing one or more play  
7 boards. Each of the play boards may be used for making a separate play. An embodiment of  
8 the play slip will be described in more detail later. The play selection mechanism may also  
9 include a processing mechanism that reads numbers marked on the play slip. The play selector  
10 mechanism may also be incorporated in a computer system using electronic play slips, for  
11 example. Such a computer system may be coupled to or may be a part of a wide area network  
12 (WAN), a local area network (LAN), a closed loop communications network, and the  
13 Internet, for example. A comparator, which may be incorporated into the computer system,  
14 compares all the plays for a given calendar period, such as a week, for example, to draws for  
15 that same time to determine a winner of the lottery.

16 If the play matches the draw, the player who made the play wins a prize, usually called  
17 a main prize or jackpot. The player may also win a prize, usually smaller in value than the main  
18 prize, should the play and the draw partially match.

19 The one or more features stated above may include a first feature, the quantity of  
20 numbers to be picked when executing the play. This quantity may also be used to define a type  
21 of lottery. A lottery with a requirement to choose four numbers from a matrix may be termed  
22 a pick 4 lottery. A second feature related to the lottery may be a size of one or more of the  
23 matrices. A lottery matrix may include the numbers 1 to 49, for example. A third feature may  
24 include a second matrix and a requirement to choose one or more numbers from the second  
25 matrix. A fourth feature may be an option to pick extra numbers beyond the quantity stated  
26 in the first feature. This fourth feature may require the player to pay a higher wager for the play.  
27 A fifth feature may be a provision for bonus numbers. Many other features may be associated  
28 with a specific lottery. Figure 1A illustrates a lottery system 10 in which a number of local  
29 jurisdictions manage or regulate a local lotteries. As shown in Figure 1A, jurisdiction A 20  
30 includes a local lottery A 21. The local lottery A 21 may be played by accessing a lottery

1 outlet such as lottery outlets A1 23 and A2 25. Local lotteries are also managed or regulated  
2 in jurisdictions B 30 and C 40.

3 The jurisdictions shown in Figure 1A may be States of the United States, provinces of  
4 a country, individual countries, or any other political entity. The local lotteries operating in the  
5 jurisdictions may be independent of each other, and may not share information. To play one  
6 of the local lotteries, a player may be required to be physically inside the boundaries of the  
7 appropriate jurisdiction. Thus, a player in jurisdiction A 20 cannot play the local lottery B 31,  
8 for example. The local lotteries 21, 31 and 41 may be any common lottery, such as a pick  
9 6/49 (which means the player picks six numbers from 1 to 49) or any other lottery scheme.  
10 To win a jackpot of one of the local lotteries 21, 31 and 41, the player must select all six  
11 numbers to match numbers drawn by the local lottery. A player in jurisdiction A 20 may pick  
12 six numbers and not win the local lottery A 21. However, the same player with the same six  
13 numbers may match numbers drawn in one of the local lotteries 31 and 41. Because the player  
14 in jurisdiction A 20 did not purchase a lottery ticket in jurisdictions B 30 and C 40, the player  
15 cannot claim the jackpot in the lotteries 31 and 41, respectively, even if the players six numbers  
16 match.

17 Figure 1B shows a multi-jurisdiction lottery system 50. The system 50 is similar to the  
18 system 10 shown in Figure 1A except that the jurisdictions 20, 30, and 40 may engage in a  
19 multi-jurisdiction lottery game using, for example network 60 and communications paths 61.  
20 An example of such a multi-jurisdiction lottery is Power Ball®, which is a lottery game played  
21 among several States in the United States. A player who participates in the multi-jurisdiction  
22 lottery game, and does not match the drawn numbers, may not use a potential match with  
23 numbers drawn in another lottery outside the multiple jurisdictions 20, 30 and 40 to claim a  
24 prize.

25 Figure 2A is a block diagram of a world lotteries lotto system 70 that allows a player  
26 who does not match a draw in a local lottery, but does match a draw in another lottery, to win  
27 a consolation prize. The system 70 includes the local lotteries 21, 31 and 41. A player in a  
28 jurisdiction corresponding to the local lottery 21, for example, still cannot play in the local  
29 lotteries 31 and 41 without physically traveling to the jurisdictions associated with the local  
30 lotteries 31 and 41. However, a world lotteries lotto 100 may provide players in the



1 jurisdictions 20, 30 and 40 with an opportunity to win the consolation prize should the numbers  
2 they pick in a local lottery match numbers drawn in a local lottery outside their jurisdiction. The  
3 lotto 100 may be coupled to one or more of the local lotteries 21, 31 and 41 using  
4 communications network 99. In operation, the lotto 100 may require that players in the  
5 jurisdictions 20, 30 and 40 first play one of the jurisdiction's local lotteries, such as the local  
6 lotteries 21, 31 and 41, respectively. As will be described later, the lotto 100 may also be  
7 played as a stand alone lottery.

8 The lotto 100 may be coupled to any number of local lotteries. For example, the lotto  
9 100 may be coupled to all lotteries in the United States, and to all other lotteries in the world.  
10 Alternatively, the lotto 100 may be coupled to a subset of the world's lotteries.

11 Figure 2B is a block diagram showing various features and components of a lotto site  
12 101 that administers the lotto 100. As shown in Figure 2B, the lotto site 101 includes a  
13 computer 102 or similar processing device to process data and to administer the lotto 100.  
14 Coupled to the computer 102 is a database 104 that stores various information related to  
15 running the lotto 104. The database 104 may also include the algorithms and software routines  
16 necessary to process data. The database 104 may also store lotto 100 plays to compare to  
17 draws of local lotteries of other jurisdictions. An input interface 106, which may be a terminal  
18 or similar device to read a play slip, or may simply be a play slip itself, may be used by players  
19 of the lotto 100 to make wagers. As a terminal, the input 106 may be coupled to the computer  
20 102. The input 106 is shown physically incorporated into the lotto site 101. However, the  
21 input 106 may be located remotely from the lotto site 101. In an embodiment, the input 106  
22 may be a processing device installed at an authorized lottery retail location. Such processing  
23 devices may often be found in convenience stores, drug stores, and other similar retail stores.  
24 As noted above, the input 106 may include a device to read markings made on a lottery game  
25 play slip. Examples of lottery game play slips are shown in Figures 3 and 4. The input 106  
26 may also include a processing unit and associated algorithms to determine if a play slip has been  
27 correctly filled out, to generate error messages, to record play selections, and to print out a  
28 lottery ticket. The input 106 may also include the processing capabilities to complete a random  
29 number "surprise" number selection. The surprise number selection will be described in detail  
30 later.

1 In addition to the input 106 being located at a retail store, an input 106' may be  
2 available in an online version incorporating a graphical user interface. Such a graphical user  
3 interface may present an electronic version of a play slip, and may guide a player through the  
4 steps of filling out the play slip. In an embodiment, the input 106' may be incorporated in a  
5 closed loop communications network 105 that includes the lotto site 101 and communication  
6 paths 103. In this embodiment, the input 106' functions in much the same manner as the input  
7 106 at the retail store. In another embodiment, an online input 106" may be coupled to the  
8 lotto site 101 through a public communications network 109, such as the Internet. In this  
9 embodiment, the input 106" is available to any player who can access the Internet.

10 The lotto site 101 is shown coupled to the local lottery A-21. In an embodiment, the  
11 local lottery A 21 and the lotto 100 may be administered by the same lottery organization and  
12 may be in the same jurisdiction. Further, the lotto site 101 and a site for administering the local  
13 lottery A 21 may be co-located. In another embodiment, the lotto 100 and the local lottery A  
14 21 may be administered by different agencies, may be operated from different sites, and/or may  
15 be in different jurisdictions. In these embodiments, the site for the local lottery A 21 and the  
16 lotto site 101 may be connected by the closed loop communications network 105 and  
17 communications lines 103. Alternatively, the site for the local lottery A 21 and the lotto site  
18 101 may be connected by a public communications network, such as the Internet 109.

19 Using the communications network 105, the lottery site 101 may receive information  
20 from the local lottery A 21, and information from other participating and non-participating  
21 lotteries. Such information may include draws, prize amounts, and other information required  
22 to play the lotto 100. This information may also be received at the site 101 by other means,  
23 including by newspaper 107, television broadcast 107', and telephone systems 107", for  
24 example. Players may likewise receive information related to draws of non-local lotteries by  
25 using the newspaper 107, television broadcast 107', and telephone systems 107". The lotto  
26 site 101 periodically may publish a list of all non-local lottery draws. Such publication may be  
27 by way of the newspaper 107, for example.

28 Figure 2C is an overall schematic of various world lotteries lotto options. In Figure 2C,  
29 the lotto 100 is shown as a lottery game coupled to the local lottery A 21. A world lotteries  
30 lotto stand alone lotto 100' may receive information from the local lottery A 21, but is not

1 operated in conjunction with any local lottery, including the local lottery A 21, and may not be  
2 regulated by an organization regulating the local lottery A 21. A world lotteries lotto dual lotto  
3 100" may be coupled to one or more local lotteries, such as the local lottery A 21, may be  
4 regulated by the local lottery A 21, and may share information with one or more local lotteries,  
5 such as the local lottery A 21. The lotto 100" may be played as a twined lotto with respect to  
6 some local lotteries, and as a stand alone lottery with respect to other local lotteries.

7 Figure 3 illustrates an example of a play slip for use with the lotto 100. In Figure 3, a  
8 play slip 110 includes board A 111, board B 113 and board C 115. Each of the three boards  
9 costs a nominal amount to play. In the example shown, each of board A 111, board B 113  
10 and board C 115 cost \$2 to play. However, other amounts could be charged to play a board.  
11 In another example, a player would only pay for a play on a local lottery and would be able to  
12 play the lotto 100 for no additional charge.

13 A player indicates entries on the play slip 110 by marking over a particular desired  
14 number using a pencil or blue or black ink. The entries are then read by a machine capable of  
15 reading such entries.

16 Each of the boards 111, 113 and 115 includes a matrix 117 of numbers. In the  
17 example shown, the matrix 117 includes 99 numbers. The play slip 110 includes, for each of  
18 the boards 111, 113 and 115, a surprise number block 119. The surprise number block 119  
19 is used when a player wants the numbers to be chosen at random by a computer or similar  
20 device. Next, the play slip 110 includes, for each of the boards 111, 113, and 115, a lottery  
21 type selection 121. The player uses the lottery type selection 121 to choose whether to play  
22 a pick 6 lottery, for example. Use of the lottery type selection 121 will be described in detail  
23 later. Finally, the play slip 110 includes, for each of the boards 111, 113 and 115, a void  
24 block 123. When a player marks the void block 123, any entries, or numbers chosen on that  
25 particular board are ignored.

26 Figure 4 is an example of a local lottery play slip 130 for a local lottery 131. As will  
27 be described later, the lotto 100 may be linked or coupled to the local lottery 131. The local  
28 lottery 131 in this case is a pick 4 lottery with a matrix of 99 numbers. Such a lottery may be  
29 designated as a 4/99 lottery, meaning a player must chose four numbers from the matrix of 99

1 numbers. The play slip 130 allows for multiple plays. The play slip 130 also includes a surprise  
2 feature and a void block.

3 As illustrated in Figure 4, a player has made a number selection 132 consisting of the  
4 numbers 04 20 33 42. The selection 132 is indicated on a ticket 133 that the player uses to  
5 claim a prize, if the selection 132 matches the numbers drawn by the local lottery 131.

6 In operation, the local lottery 131 may be played on a weekly basis, and may include  
7 a main lottery of cash for life. Every seven days, four numbers from 0 to 99 are drawn by the  
8 local lottery 131. An example of a draw is 05 20 63 98. A player who matches all four  
9 numbers drawn wins the top prize, in this case \$1,000 each week for the life of the player, for  
10 a minimum of ten years. Thus, a winning player receives a minimum of \$520,000.

11 The local lottery 131 includes payouts for partial matching of numbers. For example,  
12 a player who matches three out of four numbers wins \$20. A player who matches two out of  
13 four numbers wins \$1.

14 The local lottery 131 also includes three cash bonus lotteries with prizes of \$100,000,  
15 \$50,000, and \$25,000. Each player who enters the main lottery of cash for life main lottery  
16 is automatically entered into the cash bonus lotteries. In the cash bonus lotteries, the player's  
17 numbers are chosen by a computer.

18 Finally, the local lottery 131 includes a consecutive draw feature that allows a player  
19 to play up to 28 consecutive lottery games (i.e., play for 28 week in advance) by requesting  
20 a multi draw ticket. The player may manually enter numbers on the multi draw ticket, using a  
21 same set of numbers or different numbers. Alternatively, the player can have the computer  
22 chose numbers to play.

23 Lotteries such as the local lottery 131 are common throughout the world. Of these k/N  
24 types of lotteries, a 6/49 lottery is most common. In these lotteries, the player is normally  
25 allowed to chose a maximum of k numbers. Thus, a player in a 6/49 lottery must choose  
26 exactly six numbers from a matrix of 49 numbers. Any other combination of selected numbers  
27 will result in an error, and the play will not be counted.

28 Returning to the example of the local lottery 131 shown in Figure 4, the player has only  
29 one chance in about four million of winning the top prize. In the example described above, the  
30 player selects 04 20 33 42 and wins nothing. However, this same selection of numbers (i.e.,

1       04 20 33 42) may have been drawn in one of the other several hundred lotteries played around  
2       the world during approximately the same time as the as the player made the selection 132. The  
3       player in this situation may like the opportunity to win a consolation prize based on the selection  
4       132 matching a draw in one of these other lotteries.

5             To expand the player's chances of winning at least some money, the lotto 100 allows  
6       the player of a local lottery, such as the local lottery 131, to enter the number selection in the  
7       lotto 100. Then, if the number selection appears in any other similar lottery in the world, the  
8       player may be able to win a consolation prize. As noted above, a player can play the lotto 100  
9       as a stand alone game, or coupled to a local lottery, such as the lottery 131.

10            In an embodiment, when the lotto is played coupled to a local lottery, the player may  
11       receive the play slip 110 shown in Figure 3. For each play in the local lottery 131, the player  
12       could make a play in the lotto 100. For example, if the player made three plays using the play  
13       slip 130, the player could make selections using the boards 111, 113 and 115. If the player  
14       in the local lottery 131 made more than three selections in the lotto 100, the player could be  
15       provided with a second play slip 110.

16            The player of the local lottery 131 may have selected numbers manually or by using the  
17       surprise feature. If the player selected numbers manually, the player could then make the same  
18       number selections on the play slip 110 for the lotto 100. In the example illustrated in Figure  
19       4, the player selected 04 20 33 42. The player would then make this same selection on the  
20       play slip 110. Alternatively, the lotto 100 may assign these same numbers to the lotto 100 play  
21       slip.

22            If the surprise feature was selected by the player of the lottery 131, a computer will  
23       make the same surprise selection should the player choose to play the lotto 100. If the player  
24       used the surprise feature in the local lottery 131 and elects to play the lotto 100, then the  
25       number selection for the lotto 100 may be made automatically, using the same numbers as in  
26       the surprise selection.

27            Because local lotteries may have draws on different days of the week, the lotto 100  
28       includes a provision to enter a number selection only for those lotteries that have not executed  
29       a draw during the time period (e.g., one week) available to play the lotto 100. For local  
30       lotteries that execute a draw during the time period of a specific lotto 100 game, the lotto 100

1 will only compare the number selection to numbers drawn during a subsequent local lotto draw.

2 This process will be described in detail later.

3 The example shown in Figure 4 is a 4/99 lottery, meaning a player chooses four  
4 numbers from 1 to 99. To play the lotto 100, the player would use the same four numbers as  
5 played in the local lottery (i.e., the four numbers played in the 4/99 lottery). Note that the  
6 matrix size does not affect the ability to play the lotto 100. In the example where a player plays  
7 a 4/N local lottery, the same player who elects to play the lotto 100 may be automatically  
8 entered in the lotto 100 to have that player's play compared to draws of all 4/N lotteries world  
9 wide, with the exception of lotteries in the player's jurisdiction. To play a pick 6 lottery (a 6/N  
10 lottery), the player would have to play a pick 6 lottery in the player's local jurisdiction. In  
11 another embodiment, the same player may play a lottery type that is not played in the player's  
12 local jurisdiction. This may be accomplished in one of at least two ways. First, the player may  
13 travel to a second jurisdiction that has the desired lottery type, play that local lottery (e.g., a  
14 6/N lottery, and then play the lotto 100 in the second jurisdiction. A second way is to play a  
15 special, or separated, lotto 100. A separated lotto may be available for play in the player's  
16 local jurisdiction as indicated by an option, on a play slip, to play a separated lotto 100. This  
17 allows the player to play any lottery type, no matter what lottery type(s) is available in the  
18 player's local jurisdiction.

19 To signify the lottery type, the player selects the [6] block (in the case of a pick 6  
20 lottery) in the lottery type field 121 (see Figure 3). The player will be entered for all local  
21 lotteries with a required selection number of than six (e.g., all pick 6 lotteries) world wide,  
22 regardless of the matrix size. Note that if a player in a 6/49 local lottery (for example) has  
23 manually chosen (or a computer using the surprise option has chosen) as one of the four  
24 number selections, a number greater than 42 (for example), the player may not be able to win  
25 a consolation prize based on matching another jurisdiction's local lottery of the 6/42 type.

26 To prevent a worthless play, the lotto 100, using specific algorithms that will be  
27 described later, may analyze a play and indicate a worthless one. For example, if the player  
28 desires to play a pick 4 lottery and picks 99 as one of the four numbers, the lotto 100 will only  
29 allow the play if there is, at the time of the bet, a 4/99 local lottery game. If a 4/99 lottery game

is not available, the lotto 100 will refuse the play and will provide the player an opportunity to change the play.

Some lotteries allow a player to choose, for an additional fee, extra numbers. For example, a 6/N lottery will normally require a player to choose only six numbers. However, some

6/N lotteries may allow a player to choose 15 numbers. To choose these extra numbers, the player may pay an additional amount. The lotto 100 may accommodate the selection of additional numbers, and may also impose a higher wager for such a selection. The following Table A is an example of upper limits that may be accommodated by the lotto 100 for k/N lotteries.

Table A

Lottery Type	Bottom Limit	Top Limit
01	01	03
02	02	05
03	03	07
04	04	10
05	05	13
06	06	15
07	07	18
08	08	20
09	09	23
10	10	25

Like many local lotteries, the lotto 100 may support multiple draws. For example, the lotto 100 may support draws up to 52 week in advance. If a player chooses multiple draws of the lotto 100, and a local lottery is limited to a number of multiple draws less than that of the lotto 100, the lotto 100 may be played in conjunction with the local lottery only up to the multiple draw limit of the local lottery. Alternatively, the lotto 100 may continue to apply a player's number selections against the local lottery.

As noted above, in an embodiment, the player chooses, using the play slip 110 of Figure 3, what type of lottery to play. If a player chooses a pick 7 lottery (7/N), the player

1 must exactly match a draw of a 7/N lottery somewhere in the world in order to win a  
 2 consolation prize. If the player matches all six numbers of a pick 6 lottery somewhere in the  
 3 world, but does not match a pick 7 lottery, the player does not win a consolation prize. In an  
 4 alternative embodiment, the player may win a smaller consolation prize based on a partial or  
 5 complete match of a lottery with a value of  $k$  less than 7. In this alternative embodiment, as in  
 6 other embodiments, a matrix size does not affect the player's ability to play the lotto 100, but  
 7 may affect the player's ability to win at the lotto 100.

8 The lotto 100 may be played coupled to a local lottery. That is, to play the lotto 100,  
 9 the player must first play a local lottery, such as the local lottery 131 shown in Figure 3. The  
 10 player would then be eligible to win a consolation prize if the number selection used for the local  
 11 lottery, and entered through the lotto 100 matches a draw of any lottery of a chosen type  
 12 outside the jurisdiction of the local lottery. This keeps the lotto 100 from competing with the  
 13 local lotteries, and potentially siphoning off revenue from the local lotteries.

14 The lotto 100 may also be played as a stand alone lottery. In an embodiment, the lotto  
 15 100 as a stand alone game may award a consolation prize to a player for any matches outside  
 16 the jurisdiction in which the lotto 100 is played. In an alternative embodiment, the lotto 100  
 17 as a stand alone lottery may award a consolation prize for any matches, including matching a  
 18 numbers draw in a local lottery in the player's jurisdiction.

19 The lotto 100 may be played in at least two manners. In a first manner, the lotto 100  
 20 receives plays, and compares the plays to draws from lotteries outside a jurisdiction of a local  
 21 lottery to which the lotto 100 is coupled. A consolation prize may be awarded for any  
 22 matches. The lotto 100 may also incorporate a separate draw, and may pay a prize if the draw  
 23 matches any plays. Draws of the lotto 100 may be based on the following Table B.

Table B

Lottery Type	Matrix	Example
1	9	1/9
2	13	2/13
3	21	3/21
4	30	4/30
5	35	5/35



Lottery Type	Matrix	Example
6	49	6/49
7	50	7/50
8	51	8/51
9	54	9/54
10	60	10/60

The lotto 100 may award a consolation prize based on a match between numbers played with the lotto 100 and any numbers draw with a local lottery outside the player's jurisdiction. The consolation prize may be awarded even if no winners exist in such local lotteries. That is, even if no winner exists for any local lottery throughout the world, the player of the lotto 100 may still win a consolation prize.

If multiple winners of the lotto 100 exist, any consolation prize may be split among such multiple winners. In an embodiment, the lotto 100 may exist as a multi-jurisdiction lottery with a single consolation prize that is split among all winners from the multiple jurisdictions. In another embodiment, each jurisdiction maintains its own version of the lotto 100, and a consolation prize exists for each such jurisdiction. In this embodiment, the consolation prize is split among all winners within a jurisdiction. In yet another embodiment, the lotto 100 is permitted in some jurisdictions and not in others. The participating jurisdictions may have a common, or pooled, consolation prize. Alternatively, the participating jurisdictions may have individual consolation prizes.

In an embodiment in which less than all jurisdictions participate in the lotto 100, the lotto 100 may still award a consolation prize for matching a draw in a non-participating lottery. Alternatively, the consolation prize may be awarded based on matches between a number set played with the lotto 100 and a matching draw in a participating lottery.

Operation of the lotto 100 in conjunction with the k/N lotteries described above may follow certain general rules. For example, the lotto 100 may be played only when coupled to the play of a local lottery. Next, a play of the lotto 100 may be compared only to draws of lotteries that operate outside a jurisdiction in which the player played the coupled local lottery. The lotto 100 may require the player to designate a type of lottery. For example, if the player plays a 6/N lottery, the player may be required to designate a 6/N lottery for purposes of

1 playing the lotto 100. In an embodiment, the lotto 100 system may automatically designate play  
2 of the lotto 100 based on a play of a coupled local lottery. That is, if the player plays a 6/N  
3 local lottery and signals a desire to play the lotto 100, the computer 102 or input 106 (see  
4 Figure 2B), for example, may automatically require the player to use the same six numbers.  
5 Differences in matrix sizes between the local lottery and the 1 to 99 matrix of the lotto 100 do  
6 not affect the operation of the lotto 100, but may impact the probability of a player's play  
7 matching a draw of the lotto 100. Therefore, the lotto 100 gives prizes based on draws of all  
8 official lotteries of types 1 through 10. The lotto 100 may not be operated in conjunction with  
9 any non-official or non-authorized lottery. In an embodiment, the lotto 100 may not be  
10 operated using a publicly accessible network, such as the Internet.

11 Rules for playing the lotto 100 may be provided in a brochure. A reduced instruction  
12 set may be provided on a side of the play slip opposite that of the matrix. The play slip and the  
13 brochure may also be used to list common lottery types, and jurisdictions in which lottery types  
14 are available. The brochure may be provided to players by mailing, by posting on an Internet  
15 web site, or by using any other acceptable medium.

16 The examples of local lotteries described above have all been of the k/N format.  
17 However, many local lotteries employ other formats. Figure 5A illustrates an example of a play  
18 slip 140 used with an a/X + b/Y lottery 141. In this example, the lottery 141, known as Power  
19 Ball®, is a multi-jurisdiction lottery game. In particular, several States of the United States, and  
20 the District of Columbia participate in and regulate the lottery game 141. The lottery game 141  
21 is also an example of a lottery game having a main prize, or jackpot, that increases as more  
22 players make bets. Play of a particular Power Ball® game continues until a player matches a  
23 draw. Thus, a particular Power Ball® game could continue for several weeks or months, and  
24 the resulting jackpot could be enormous, \$100 million or more.

25 The lottery 141 differs from k/N lotteries in that the player is required to choose  
26 (manually or using surprise) five numbers from a 49 number matrix section 142 of the play slip  
27 140. The player is also required to choose one number from a 42 number matrix section 144  
28 of the play slip 140. The format of the lottery 141 is thus 5/49 + 1/42. As with other lotteries,  
29 the play slip 140 allows for multiple plays, using one or more of the boards 143. The odds of  
30 winning are about 1 in 80 million.

1           Because some of the numbers repeat between section 142 and 144, a player may win  
2           the a game of the lottery 141 repeating one number. An example of this situation is shown in  
3           Figure 5B. A draw 145 includes a set 147 of five numbers, 21 24 37 44 and 45. A power  
4           ball set 149 shows the number 24 drawn from the 42 number matrix. Thus, the drawn number  
5           24 appears in both sets of drawn numbers, sets 147 and 149. In other words, the lottery 141  
6           draw includes only five unique numbers. The implications of such a draw on the lotto 100 will  
7           now be explained. For the lotto 100, a player in a jurisdiction outside the jurisdictions of  
8           the lottery 141, may win the consolation prize of the lotto 100 if the player chooses five  
9           numbers that match the five unique numbers drawn in the lottery 141. Thus, if a player of the  
10          lotto 100 chooses to play a 6/N lottery, the player can win a consolation prize based on a draw  
11          of the lottery 141 if such player selects five matching numbers and one number of the draw in  
12          the lottery 141 repeats.

13           Another example of a lottery game that does not follow the exact format of a k/N  
14          lottery is an a/X + m lottery, such as the 6/45 +2 bonus Australian lottery. Such a lottery  
15          requires the player to pick six numbers from a 45 number matrix. A computer associated with  
16          the lottery then draws six main numbers and two bonus numbers. The player whose six  
17          selected numbers matches any of the six main wins the lottery. A player who matches six of  
18          the eight drawn number may win a smaller prize. The lotto 100 may accommodate such a/X  
19          + m lotteries. In an embodiment, a player of an a/X + m lottery may win the lotto 100  
20          consolation prize by matching six numbers in any non-local 6/N lottery worldwide. That is, the  
21          lotto 100 may ignore any bonus numbers selected in an a/X + m lottery. Thus, in the example  
22          of the Australian lottery, only the pick six numbers from the 45 number matrix are used to  
23          determine a winner of the consolation prize of the lotto 100.

24           In another embodiment, the lotto 100 will combine all a + m numbers to determine a  
25          winner of the consolation prize. In the Australian lottery example, the six numbers chosen by  
26          a player will be used along with the two drawn bonus numbers. The player of the lotto 100  
27          then selects a pick 6 lottery, the lotto 100 will compare all eight numbers to any six numbers  
28          drawn in other local lotteries of the 6/N format to determine a winner of the consolation prize.

29           In yet another embodiment, the lotto 100 will combine all a + m numbers selected to  
30          determine the type of lottery for comparison. In this embodiment, the player would mark a [a

1 +m] block on the lotto 100 play slip to indicate this type of lottery. In the Australian lottery  
2 example, the lotto 100 would compare the eight numbers (six selected, two drawn bonus  
3 numbers) with any draws in an 8/N local lottery.

4 In yet another type of local lottery, a player may a selection of a specific quantity of  
5 numbers and the lottery system draws two sets of numbers. An example of such a lottery is  
6 the Brazilian Super Sena lottery that draws two series of six numbers each. The format of such  
7 a lottery may be expressed as  $a/X + p(a/X)$ , where  $p$  is an integer greater than zero. The lotto  
8 100 may treat such a local lottery as  $p$  separate  $a/X$  lotteries. A player of the lotto 100 may  
9 match either of the draws to win the consolation prize. Thus the player of the  $a/X + p(a/X)$   
10 may have as many as  $1 + p$  times as many chances of winning the lotto 100.

11 As noted above, in an embodiment, the lotto 100 is played in conjunction with playing  
12 a local lottery. This requirement should encourage more play of local lotteries because of the  
13 possibility of a consolation prize. The lotto 100 could be operated in a single jurisdiction, with  
14 the winning play based on lottery results within other jurisdictions. For multiple jurisdiction  
15 games (e.g., Power Ball<sup>®</sup>), all lotteries within the multiple jurisdiction could be used to  
16 determine a winner of the lotto 100. Alternatively, the lotto 100 could be operated as a single  
17 multiple jurisdiction lottery, such as a national lottery within the United States. In this  
18 alternative, lottery results from all local lotteries in the United States could be used to determine  
19 a winner of the lotto 100. In all these alternatives, a player may first be required to play a local  
20 lottery before becoming eligible to play the lotto 100.

21 In another embodiment, the lotto 100 may be played as a stand alone lottery. Such a  
22 stand alone lottery may use lottery results from one or more jurisdictions to determine a winner  
23 of the lotto 100. In this embodiment, the player may fill out as many play slips as desired. Play  
24 slips may be completed for all types of lotteries, not just for local lottery types within the  
25 player's jurisdiction.

26 As mentioned above, the lotto may be played in conjunction with a local lottery, such  
27 as the local lottery. In an embodiment, a player of a local lottery is automatically entered into  
28 the lotto, using the type of local lottery played and the lottery type for lotto 100 purposes. For  
29 example, a player of the local lottery 131 shown in Figure 3 would be automatically entered  
30 in the lotto 100, and the player's number selection would be compared to draws of all type 4

1 local lotteries. In this embodiment, the player may not be charged an additional fee for playing  
2 the lotto 100, and all funds needed to support the consolation prize may be derived from  
3 increased local lottery sales. In another embodiment, the player may

4 indicate on a local lottery play slip, a desire to play the lotto 100. Figure 6A shows a portion  
5 150 of a Brazilian Super Sena lottery play slip. The portion 150 shown provides the player  
6 with the option of choosing to play the lotto 100 with a twined local lottery.

7 Figure 6B shows a modified section 160 of the play slip of Figure 6A. The section 160  
8 now includes a block 161 that may be marked by a player to indicate a desire to play the lotto  
9 100. Such a play may require payment of an additional wager. Also shown is a block 163 that  
10 may be marked to indicate a desire for an additional lotto 100 play slip. Such an additional  
11 play slip may be used when a player has played a local lottery with more boards than are  
12 provided on the lotto 100 play slip 110 shown in Figure 3, for example.

13 Figure 7A illustrates a play slip 200 that may be used with the lotto 100. The play slip  
14 200 is similar to the play slip 110 shown in Figure 3. However, the play slip 200 includes an  
15 additional section 201 that may be used to tie or couple the lotto 100 to a local lottery, such  
16 as the local lottery 131 shown in Figure 4. The section 201 includes a place to record a special  
17 code generated by the lotto 100. In particular, either the input 106 or the computer 102, or  
18 a similar device, may generate an alpha-numeric code that may be manually marked on the play  
19 slip 200. The code may be generated whenever the block 163, shown in Figure 6B is marked.  
20 The special code gives the player one, and only one, special play slip. The special code may  
21 be a set of 30 numbers and six letters, for example. The special code is generated with a  
22 cryptography that combines the type of lottery, the number of the draw, and a local lottery  
23 identifier, for example. Figure 7B shows a portion of the play slip 200 with the section 201  
24 marked with a special code. The special code, in the example, AE039, is used to tie the local  
25 lottery to the lotto 100. The special code is also printed on a lotto ticket. An example lotto  
26 ticket 210 is shown in Figure 7C. The lotto ticket 210 includes a printout of numbers played  
27 211 and the special code 213.

28 The lotto 100 may be set to begin on  
29 any day, and to run for a week, for example. In an embodiment, the lotto 100 begins on  
30 Sunday at 12:00 p.m. (one minute past noon) Greenwich Mean Time (GMT) and end the  
following Sunday at noon. The lotto 100 may accept plays from 12:01 p.m. GMT on Sunday

1       until noon the following Sunday. Figure 8 shows a lotto 100 calendar 220. The starting day  
2       is Sunday A, and the ending day is Sunday B. During a week of the lotto 100, a lotto 100  
3       player will be eligible for all draws that occur between 12:01 p.m. of Sunday B and noon of  
4       Sunday C (the Sunday following Sunday B (not shown)) for any participating local lottery. The  
5       computer 102 (see Figure 2B) will check the winning tickets after 8 p.m. GMT of the C  
6       Sunday. Winning tickets may be announced using standard mechanism, including e-mail direct  
7       to the winner, the Internet, television and radio announcement, and publication, such as in a  
8       newspaper.

9       Plays received until noon (GMT) on Sunday A will be eligible for world lottery draws  
10      that occur between 12:01 p.m. (GMT) of Sunday A, and noon of Sunday B. If a player plays  
11      a local lottery and marks only the lotteries lotto block 161, the player will be eligible for  
12      lotteries operated during the following week.

13      Minimum prizes may be decided and funded locally. Alternatively, minimum prizes may  
14      be determined among several participating lotteries or among all participating lotteries. The  
15      basic condition for winning the lotto 100 consolation prize is to match numbers drawn in a  
16      jurisdiction in which the player did not play the local lottery. If a same combination of numbers  
17      chosen by the player is drawn in more than one local lottery, the player may receive multiple  
18      consolation prizes, one for each such match. Alternatively, the lotto 100 may be operated such  
19      that the player receives only one consolation prize. If more than one player's play matches a  
20      draw in a non-local lottery, then the players' may share the consolation prize equally. For each  
21      type of local lottery, if no match occurs using the lotto 100, any prize may roll over to the next  
22      week. In an embodiment, if the consolation prize is not awarded after a specific period, the  
23      consolation prize may be divided among those who match the most numbers.

24      Worldwide local lottery draw information may be collected by the lotto 100 at the lotto  
25      site 101, and stored in the database 102, for example. The draw information may be collected  
26      by telephone, facsimile, over the Internet, by television and radio, and by publication, such as  
27      in newspapers.

28      As discussed above, the world lotteries lotto may be played as a tied lotto 100 played  
29      in conjunction with one or more local lotteries. The world lotteries lotto may also be played

1 as a stand alone lotto 100'. Finally, the world lotteries lotto may be played as a combination  
2 of a twined and stand alone lottery 100" (see Figure 2C).

3 Figure 9 shows an example of a play slip 250 that may be used for any configuration  
4 of the world lotteries lotto. The play slip 250 incorporates several features that allow a player  
5 to customize lottery play. A default play mode section 251 and a personalized play mode  
6 section 253 may be used to chose a mode of play. Alternatively, the play slip 250 may include  
7 only the personalized play mode section 253. The default mode allows the player to specify  
8 the type of lottery, the numbers to play, and whether a multi-draw option is to be used. If the  
9 personalized play mode is selected, the player will have additional options as described below.

10 A lottery type section 255 allows the player to choose the type of lottery to play  
11 against. For example, the player could mark the [06] in section 255 to indicate a pick 6 lottery  
12 type. The play would then be compared to draws of all participating pick 6 lotteries  
13 worldwide.

14 The play slip 250 includes a 99 number matrix section 257 that allows the player to  
15 choose numbers manually, and a surprise section 259 that allows a computer to pick the  
16 numbers. Associated with the surprise section 259 is a surprise number section 261. The  
17 section 261 may be used to instruct the computer to select the specified quantity of random  
18 numbers. If the section 261 is not used, the computer will select a quantity of random numbers  
19 equal to the lottery type indicated in the section 255.

20 A choose matrix section 263 may be used in the personalized play mode to select a  
21 size of the matrix from 9 to 99 or to choose all matrix sizes. A lottery game variation section  
22 265 may be used to select plays in only power ball or bonus ball lotteries that have a same  
23 matrix as that selected in the choose matrix section 263. For example, a 5/49 + 1/42 Power  
24 Ball® matrix would convert to a matrix of 49 numbers. If in the choose matrix section 263, the  
25 player chooses all matrices, the player has two selection options for the section 265, namely  
26 choosing no Power Ball® and no bonus ball lotteries or choosing all Power Ball® and all bonus  
27 ball lotteries. The section 265 also allows the player to designate lotteries with up to three  
28 series of draws. This selection would apply to lotteries with multiple draws, such as the  
29 Brazilian Super Sena lottery. Selecting this option means that all the drawn numbers in the  
30 multi-draw lottery are combined. A play will be compared to the combined numbers to

1 determine a match. For example, if the player selects six numbers, and the three series of  
2 draws features is selected, the six numbers selected by the player (the play) are compared to  
3 all the numbers in the multiple draws. Any six numbers from the multiple draws may be used  
4 to match the numbers in the play. In an embodiment, players who elect the three series of  
5 draws feature may be eligible for a prize separate from a main consolation prize. Such election  
6 may be signaled by checking a box on the lotto 100 play slip.

7 A group of lotteries section 267 is used to select a mix of lotteries from different regions  
8 of the world. Information on these different regions and lotteries may be presented on a  
9 reverse side of the play slip 250. Alternatively, this information may be presented in a separate  
10 brochure, may be available electronically at an input, such as the inputs 106, 106' and 106"  
11 shown in Figure 2B. Using the section 267, the player may select all lotteries from one or more  
12 of five regions of the world by selecting one or more of blocks [A] - [E]. The player may also  
13 elect to play all lotteries by selecting block [F] in section 267.

14 A multiple draw section 269 may be used to designate multiple draws by marking  
15 appropriate blocks for 4, 8, 12, 34 and 52 weeks.

16 A jackpot section 271 may be used to elect a partial match jackpot. Eligibility for this  
17 partial jackpot may be determined with reference to Table C below, or a similar scheme. The  
18 value of the partial jackpot may be determined by the amount wagered by all lotto 100 players.  
19 The jackpot section may also be used to designate an extra jackpot. The extra jackpot  
20 designation means that the player contends for a single jackpot among all types of lotteries.  
21 Choosing any of the above described jackpot options may require an increased wager to play  
22 the lotto 100.

23 When the world lotteries lotto is played in conjunction with one or more local lotteries,  
24 the special lotteries lotto code will be provided to the player. The code may be marked in a  
25 special code section 273. Finally, the play slip 250 includes a section 275 to void the play slip  
26 250. Once the player has completed the play slip 250, the wager amount for the lotto 100  
27 is determined. This determination may be made by the computer 102 or one of the inputs 106,  
28 106' and 106" shown in Figure 2B, for example. The wager amount may be determined by  
29 a number of factors, including selection of extra numbers (e.g., picking 15 numbers to play pick  
30 6 lotteries), a number of draws per week of a local lottery, advanced plays, use of the all



matrices feature (see section 263 in Figure 9), a type of lottery (i.e., the most common lottery, a pick 6 lottery may cost more to play than a less common type lottery), jackpot selection options, use of bonus ball and similar features, regional play, and other features as illustrated by the play slip 250 of Figure 9. However, the total extra wager cost may not vary significantly from the cost of playing a local lottery. Thus, the lotto 100 may cost \$1.00 to play, and the local lottery may cost \$2.00 to play, for a total wager of \$3.00.

In an alternative embodiment, no extra wager is charged to play the lotto 100. However, the stand alone lotto 100' may always require payment of a wager. When no extra wager is required to play the lotto 100, the revenues required to fund the consolation prize, any smaller prizes or other jackpots, and to pay for the administration of the lotto 100, may be generated by increased play of a local lottery brought on by the availability of the lotto 100. The split of these revenues may follow that of a typical local lottery.

The lotto 100 may include a mechanism to prevent a player from trying to buy all possible combinations and thus ensure award of a prize. One such mechanism is to make the price for such plays too high with respect to the prize to be awarded.

As noted above, the lotto 100, including all variations, may provide a prize for a partial match between the play and the draw of one or more local lotteries. Table C below illustrates one scheme for awarding the prize for a partial match. A "Y" in a cell of Table C indicates when the prize for the partial match may be available.

Table C

Lottery Type	Number of Matches									
	01	02	03	04	05	06	07	08	09	10
01										
02	Y									
03		Y								
04		Y	Y							
05			Y	Y						
06			Y	Y	Y					
07			Y	Y	Y	Y				
08				Y	Y	Y	Y			

09				Y	Y	Y	Y	Y		
10					Y	Y	Y	Y	Y	

The value of the prize for a partial match can be determined by the local lottery organization. In addition, multiple prizes may be given for partial matches, with the value of each such multiple prize decreasing as a number of matches decreases.

A player who wins a main prize or jackpot of a local lottery may also be eligible for winning the consolation prize, if the play matches a draw in another jurisdiction. The lotto 100 may also conduct a separate draw to award a separate jackpot.

As stated above, funding of the lotto 100 may be based on increased local lottery sales, or by charging each player of the lotto 100 a fixed or variable fee. Other funding options are possible. For example, an organization separate from a government lottery agency may be allowed to sell world lottery lotto tickets to players, returning all or a portion of any wager amount to the jurisdiction's lottery agency. In return, and to generate income, the organization may provide advertising space that can be used to target advertising to world lotteries lotto players. Income generated by such advertisements may be enough to show a profit for the organization. In another embodiment, the organization pays a fee or royalty to the lottery agency in order to sell the world lotteries lotto. Advertising revenue would then offset the cost of this royalty payment. This funding mechanism may be adapted for use with online world lotteries lotto ticket sale, such as ticket sales over the Internet (where permitted).

Operation of the lotto 100 may be under control of a local or remote system or site, such as the site 101 shown in Figure 2B. All wagering computations, play and draw comparisons, data gathering from other lotteries, and acceptance of a play may be controlled by the computer 102, or by one or more distributed processors, including processors at the inputs 106, 106' and 106". The processors and the computer 102 may operate according to one or more routines and may employ one or more algorithms. Figure 10 is a flowchart illustrating certain processes executed on the processors and the computer 102 during an operation of the lotto 100. The flowchart assumes the lotto 100 is played as a lottery coupled to one or more local lotteries. The process starts with block 300.

1           In receive play selection block 310, an input device, such as the input 106 shown in  
2           Figure 2B, receives a lotto 100 play slip, marked to indicate a players play, and any special  
3           features. An example of the play slip is shown in Figure 9. In parameter verification block  
4           320, the computer 102 determines if the player's selections satisfy certain criteria. For  
5           example, if the player designates a pick 6 lottery, the computer 102 will verify that at least six  
6           numbers are marked in the matrix section. Other special conditions and features will be  
7           checked in accordance with the descriptions provided above for the play slip 250 of Figure 9,  
8           and other components of the world lotteries lotto. If the play slip contains an error such that  
9           processing cannot be completed, the computer 102 will generate an error message, block 330,  
10          that may be displayed at the input 106. The computer 102 will then await a subsequent  
11          submission of the play slip.

12          If the parameter check indicates no errors, the computer 102 optionally determines the  
13          eligible lotteries against which to enter the play, block 340. For example, the computer may  
14          determine that the play may be compared to draws of all bonus ball lotteries. As part of this  
15          optional step, the computer 102 may, also optionally, store the play in the database 104 until  
16          the appropriate draws are complete. In an optional routine, the computer 102 may identify the  
17          play by the special code generated in the next processing step, block 350. The special code  
18          may be marked on the play slip by the input 106, or may be subsequently marked on the play  
19          slip by the player. In either event, the special code may be used to tie the lotto 100 to the play  
20          of a local lottery.

21          The computer 102 next determines a required wager amount, block 360, if  
22          appropriate, and provides an indication of the amount to the player using the input 106. In  
23          receive payment block 370, the computer 102 receives an indication that payment of the wager  
24          amount is complete. Such payment may be by way of credit card, electronic check, or a  
25          manual indication, such as a keystroke, of a lotto 100 employee.

26          In accept play slip block 380, the computer accepts the play. The input 106 may  
27          return the play slip to the player to enter the special code. Optionally, the special code may  
28          be entered by the computer 102. If the play slip has been returned to the player, the computer  
29          102 waits for an indication that the play slip has been re-entered into the lotto 100 system. In  
30          issue ticket block 390, the computer 102, in conjunction with the input 106, issues a ticket to

1 the player. The ticket includes information related to plays (i.e., the numbers chosen) and the  
2 special code. The process then ends, block 400.

3 As an alternative to the lotto 100, the world lotteries lotto concept may be extended  
4 to an Internet game. In this embodiment, the world lotteries lotto may be played in jurisdictions  
5 that allow Internet wagering. The world lotteries lotto of this embodiment may also be coupled  
6 to one or more local lotteries.

7 When played as an Internet game, the lotto 100 may use the same general and specific  
8 rules, described above, for the non-Internet version. Additional rules may be added to prevent  
9 unauthorized play over the Internet, such as play by persons under a specific age. For  
10 example, to use the Internet to play the lotto 100, a players may first have to register for, and  
11 receive, a password. The Internet version of the lotto 100 may then be accessible only to those  
12 players who correctly enter a password.

13 Use of the Internet may facilitate payment of any required wager amount for playing  
14 the lotto 100. For example, the lotto 100 may include direct debit of a player's bank account.  
15 Direct debit payment may also be incorporated into other embodiments of the world lotteries  
16 lotto.

17 As an alternative Internet lottery game, the lotto 100 may provide a wager-free option  
18 in which players access a lotto 100 website and make plays in which no wager is required. In  
19 an embodiment, the player whose numbers match those of a draw may be awarded points.  
20 When enough points are accumulated, the player may trade the points in for a prize or for  
21 merchandise. In another embodiment, the player may pay a small fee, for example an annual  
22 fee of \$25. Upon paying the fee, the player is eligible to make plays. If the player then  
23 matches a draw, the player wins a prize, which may be a cash prize.

24 A graphical user interface (GUI) may be used o facilitate play of the lotto 100, including  
25 the Internet version of the lotto 100. An example GUI 500 is shown in Figure 11. The GUI  
26 500 may be displayed on any display capable of displaying digital or analog data, including the  
27 inputs 106, 106' and 106" shown in Figure 2B; personal computer, such as a personal  
28 computer in a player's home; a television (not shown); and a mobile data device (not shown),  
29 such as a cellular phone and a personal data device, for example.

1           The GUI 500 includes a main display section 510 that presents an electronic  
2 representation 515 of the lotto 100 play slip. The play slip 515 may include all the sections as  
3 does the play slip 250 shown in Figure 9. Sections of the play slip 515 corresponding to the  
4 play slip 250 may allow the player to enter data to complete the play slip. Data entry may be  
5 by key stroke, point and click, and voice recognition, for example. A pull down menu bar 520  
6 allows the user to select features of the lotto 100, such as a list of lottery types, jurisdictions  
7 where these lottery types are played, a set of rules, and a function that computes odds of  
8 winning the lotto 100, for example. A tool bar 530 may be optionally displayed. The tool bar  
9 includes icons for frequent operations associated with playing the lotto 100, including, for  
10 example, a printer icon to print a lottery ticket, and a submit icon.

11           As yet another alternative, the world lotteries lotto concept may be expressed in a  
12 board game. Figure 12 is an example of a board game 600 incorporating the lotto 100 design.  
13 The board game 600 includes a map section 610 displaying the world in Mercator projection  
14 format. Six continents are labeled with numerals I through VI. Each such continent will have  
15 an associated number of local lotteries of various types. The object of the game may be to  
16 amass the largest total prize or to win a single largest jackpot by playing any of the local  
17 lotteries in conjunction with the world lotteries lotto. For example, a player may combine the  
18 value of any consolation prizes with any jackpot wins to compute the players total earnings.  
19 Players may move between continents in any fashion, but the game may restrict occupancy of  
20 any one continent to one player at a time. When six players play, this implies that when one  
21 player is able to move to a continent, another player must leave. The game may allow players  
22 to play local lotteries in their current continent, and to play the world lotteries lotto in other  
23 continents. The players may be limited to playing the world lotteries lotto only on the basis of  
24 their own local lottery types. For example, a player in North America may play a 6/49 local  
25 lotteries, and then would be eligible to play the world lotteries lotto against all other 6/N lotteries  
26 world wide.

27           The board game 600 may include a card set 620 that requires players to skip turns,  
28 move to other continents, and take other actions that add interest and chance to the game.  
29 Players may select a card on every play, or at random intervals. Information needed to play

1 the game may be displayed in an information block 630. Such information may include a list  
2 of local lottery types, for example.

3 To make the game challenging, a player may be given an amount of play money at the  
4 start of the game. Each play of a local lottery and the world lotteries lotto requires payment  
5 of a portion of the play money. Likewise, movement between continents may require payment  
6 of play money. Initial assignment to continents may be determined by a roll of a die.

7 The terms and descriptions used herein are set forth by way of illustration only and are  
8 not meant as limitations. Those skilled in the art will recognize that many variations are possible  
9 within the spirit and scope of the invention as defined in the following claims, and there  
10 equivalents, in which all terms are to be understood in their broadest possible sense unless  
11 otherwise indicated.

- 1 In The Claims:
- 2 1. A lottery game, comprising:
- 3 a play selector mechanism used for making a play of the lottery game; and
- 4 a comparator that compares the play of the lottery game to a draw of a first lottery,
- 5 wherein when the play of the lottery game and the draw of the first lottery match, the lottery
- 6 game awards a prize.
- 7 2. The lottery game of claim 1, wherein the selector mechanism includes a module for
- 8 selecting the play of the lottery game according to one or more features.
- 9 3. The lottery game of claim 2, wherein one or more of the one or more features
- 10 correspond to like features of a second lottery.
- 11 4. The lottery game of claim 3, wherein the first lottery is from a first jurisdiction and the
- 12 second lottery is from a second jurisdiction different from the first jurisdiction.
- 13 5. The lottery game of claim 3, wherein one of the one or more features comprises a
- 14 lottery type.
- 15 6. The lottery game of claim 3, wherein one of the one or more features comprises a
- 16 maximum size of a numbers matrix.
- 17 7. The lottery game of claim 3, wherein the lottery game is coupled to the second lottery,
- 18 and wherein the play of the lottery game is preceded by a play of the second lottery.
- 19 8. The lottery game of claim 2, wherein the lottery game is a stand alone lottery.
- 20 9. The lottery game of claim 2, wherein the lottery game comprises a stand alone lottery
- 21 and a lottery coupled to the second lottery.
- 22 10. The lottery game of claim 9, wherein the play of the lottery game is preceded by a play
- 23 of the second lottery.
- 24 11. The lottery game of claim 1, wherein when the match is an exact match, the prize
- 25 awarded is a main prize, and wherein when the match is a partial match, the lottery game
- 26 awards a second prize smaller than the main prize.
- 27 12. The lottery game of claim 1, wherein the selector mechanism comprises:
- 28 a communications network;
- 29 an input device coupled to the communications network, wherein the play is recorded
- 30 using the input device; and

- 1           a processor coupled to the communications network, wherein the play is read using the  
2   processor.
- 3   13.    The lottery game of claim 12, wherein the input device is a play slip.
- 4   14.    The lottery game of claim 12, wherein the input device is a terminal, the terminal,  
5   comprising:  
6           a graphical user interface that displays an electronic play slip; and  
7           a control for recording the play on the electronic play slip.
- 8   15.    The lottery game of claim 12, wherein the communications network is a closed system.
- 9   16.    The lottery game of claim 15, wherein the closed system is one of a wide area network  
10   and a local area network.
- 11   17.    The lottery game of claim 12, wherein the communications network is a public  
12   communications network.
- 13   18.    The lottery game of claim 17, wherein the public communications network is an  
14   Internet.
- 15   19.    The lottery game of claim 12, wherein the first and the second lottery games are  
16   coupled to the communications network.
- 17   20.    A method of playing a lottery game, comprising:  
18           receiving a play of the lottery game;  
19           comparing the play to a draw of a local lottery; and  
20           if the comparison indicates a match between the draw and the play, awarding a prize.
- 21   21.    The method of claim 20, further comprising:  
22           verifying parameters of the play against a rule set;  
23           generating an error message if a parameter conflicts with a rule of the rule set;  
24           determining one or more eligible local lotteries for use in comparing the play to draws  
25   of the one or more eligible local lotteries;  
26           providing a special code linking the lottery game to one or more of the one or more  
27   eligible local lotteries;  
28           computing a required wager amount;  
29           receiving the required wager amount; and



- 1           issuing a lottery game ticket, wherein the lottery game ticket includes the special code  
2           and one or more plays.
- 3       22.    The method of claim 21, further comprising:  
4           determining a type of lottery for the local lottery; and  
5           restricting a play of the new lottery to a play of a type of lottery for the local lottery.
- 6       24.    A method for playing a lottery, comprising:  
7           playing a first local lottery, wherein the first local lottery is a lottery of a first type; and  
8           playing the lottery, comprising:  
9                making a play of the lottery based on the first type,  
10               comparing the play of the lottery to one or more draws of second local lotteries  
11           of the first type, and  
12               when the comparison indicates a match between the play of the lottery and at  
13           least one of the one or more draws of the second local lotteries, awarding a prize.
- 14      25.    The method of claim 24, wherein the play of the lottery is chosen from a numbers  
15      matrix of 1 to 99.
- 16      26.    The method of claim 24, wherein the one or more draws of the second local lotteries  
17      are chosen from any numbers matrix up to an including the numbers matrix of 1 to 99.
- 18      27.    The method of claim 24, wherein the lottery is coupled to the first local lottery.
- 19      28.    The method of claim 24, further comprising:  
20           operating the first local lottery in a first jurisdiction; and  
21           operating the one or more second local lotteries in one or more jurisdictions different  
22           from the first jurisdiction.
- 23      29.    A worldwide lottery game method, comprising:  
24           making a play in a first lottery game in a first jurisdiction according to a first lottery type;  
25           making a play in the worldwide lottery game in the first jurisdiction;  
26           comparing the play of the worldwide lottery game to a draw of one or more second  
27           lotteries, each of the one or more second lotteries in a jurisdiction other than the first  
28           jurisdiction; and  
29           when a match exists between one of the one or more second lotteries, awarding a  
30           prize.

- 1        30.    The method of claim 29, wherein the worldwide lottery is a lottery according to the first  
2        lottery type.
- 3        31.    The method of claim 29, wherein each of the one or more second lotteries is a lottery  
4        of the first lottery type.
- 5        32.    The method of claim 29, wherein the first lottery type is a pick k lottery, where k is an  
6        integer between 1 and 10, inclusive.
- 7        33.    The method of claim 32, further comprising:  
8                picking a set of k numbers for the play of the first lottery game; and  
9                picking the same set of k numbers for the worldwide lottery, wherein the match of the  
10              play of the worldwide lottery and the draw of the one of the one or more second lotteries is  
11              based on an exact match of the set of k numbers and corresponding numbers in the draw of  
12              the one of the one or more second lotteries.
- 13       34.    The method of claim 33, wherein the prize is a main prize having a first value, further  
14       comprising:  
15                determining a partial match between the play of the worldwide lottery and the draw of  
16                one or more of the one or more secondary lotteries; and  
17                awarding one or more secondary prizes of value less than the first value based on the  
18                partial match, wherein the partial match of the play of the worldwide lottery and the draw of  
19                the one or more of the one or more second lotteries is based on an a partial match of the set  
20                of k numbers and corresponding numbers in the draw of the one of the one or more second  
21                lotteries.
- 22       35.    The method of claim 32, further comprising providing a numbers matrix of N for the  
23       worldwide lottery, wherein N is an integer between 1 and 99, inclusive.
- 24       36.    The method of claim 29, further comprising:  
25                providing a code based on the first lottery game; and  
26                using the code with the play of the worldwide lottery, wherein the code ties the play  
27                of the worldwide lottery to the play of the first lottery game.
- 28       37.    The method of claim 29, further comprising determining a wager price for the play of  
29       the worldwide lottery.

1       38.    The method of claim 37, wherein the wager price is based on the type of the worldwide  
2       lottery.

3       39.    The method of claim 29, wherein the first lottery is a pick  $r +$  bonus lottery, wherein  
4        $r$  is an integer between 1 and 10 exclusive, and the bonus is a set of  $q$  numbers, where  $q$  is an  
5       integer between 1 and 10 inclusive, and wherein the first lottery draws  $q$  bonus numbers, and  
6       further comprising:

7             picking a set of  $r$  numbers for the play of the play of the first lottery game.

8       40.    The method of claim 39, further comprising:

9             picking the same set of  $r$  numbers for the worldwide lottery, wherein the match of the  
10       play of the worldwide lottery and the draw of the one of the one or more second lotteries is  
11       based on a match of subset comprising the set of  $r$  numbers and the  $q$  bonus numbers and a  
12       corresponding quantity of  $r$  numbers in the draw of the one of the one or more second lotteries.

13       41.    The method of claim 39, further comprising:

14             combining the  $r + q$  numbers to determine the type of lottery to play for the worldwide  
15       lottery, wherein the match of the play of the worldwide lottery and the draw of the one or more  
16       second lotteries is based on an exact match of a set of  $r + q$  numbers and corresponding  
17       numbers in the draw of the one of the one or more second lotteries.

18       42.    The method of claim 29, further comprising:

19             providing a separated worldwide lottery game;

20             receiving a play for the separated worldwide lottery game;

21             comparing the play of the separated worldwide lottery game to the draw of the one or  
22       more second lotteries; and

23             when the play of the separated worldwide lottery game matches the draw of the one  
24       or more second lotteries, providing a separated prize.

25       43.    The method of claim 29, wherein the first lottery type is an  $a/X + b/Y$  lottery.

26       44.    The method of claim 29, wherein the play of the worldwide lottery is made on a play  
27       slip.


28       45.    The method of claim 29, wherein the play of the worldwide lottery is made using a  
29       graphical user interface.

30       46.    A worldwide lottery system for playing a worldwide lottery, comprising:

- 1 a worldwide lottery play slip used to make a play of the worldwide lottery, wherein the  
2 worldwide lottery is located in a local jurisdiction;
- 3 a processor to compare the play of the worldwide lottery to a draw of one or more  
4 non-local lotteries, wherein each of the one or more non-local lotteries is located in a  
5 corresponding non-local jurisdiction, wherein when the play of the worldwide lottery matches  
6 the draw of the one or more non-local lotteries, the worldwide lottery system awards a prize.
- 7 47. The system of claim 46, wherein a type of the worldwide lottery is determined by a  
8 type of a local lottery coupled to the worldwide lottery.
- 9 48. The system of claim 47, wherein the type of the local lottery is a pick  $k$  lottery, wherein  
10  $k$  is an integer between 1 and 10, inclusive.
- 11 49. The system of claim 47, wherein the local lottery is an  $a/X + b/Y$  lottery, wherein  $a$  is  
12 a first integer between 1 and 10 inclusive and  $b$  is a second integer between 1 and 10 inclusive.
- 13 50. The system of claim 49, wherein a first set of numbers corresponding to the first integer  
14  $a$  is selected by a worldwide lottery player, and wherein a second set of numbers  
15 corresponding to the integer  $b$  is selected by the player.
- 16 51. The system of claim 50, wherein when the processor compares the draw of the one or  
17 more non-local lotteries to the play of the world wide lottery, the processor compares the first  
18 and the second sets of numbers to the draw of the one or more non-local lotteries.
- 19 52. The system of claim 47, wherein the local lottery is an  $a/X + m$  lottery type, wherein  
20  $a$  is a first integer between 1 and 10 inclusive, wherein  $X$  is a first matrix of numbers and  
21 wherein  $m$  is a second integer between 1 and 10 inclusive.
- 22 53. The system of claim 53, wherein a player selects a first set of a numbers from the first  
23 matrix  $X$  and the processor selects a second set of  $m$  numbers.
- 24 54. The system of claim 53, wherein the type of the worldwide lottery is a pick  $a$  lottery.
- 25 55. The system of claim 53, wherein the type of the worldwide lottery is a pick  $a + m$   
26 lottery.
- 27 56. The system of claim 47, further comprising a local lottery play slip used to make a local  
28 lottery play, and wherein the local lottery play slip includes a play worldwide lottery designation  
29 block.
- 30 57. A method for playing a world wide lottery, comprising:

1 making a world wide lottery play in a local jurisdiction; and  
2 comparing the worldwide lottery play to a draw of one or more non-local lotteries,  
3 each of the non-local lotteries located in a corresponding non-local jurisdiction.  
4 58. The method of claim 57, further comprising:  
5 playing a local lottery in the local jurisdiction, wherein the local lottery is a lottery of a  
6 first type; and  
7 determining a world wide lottery type according to the first type.  
8 59. The method of claim 58, wherein the one or more non-local lotteries are of the first  
9 type.  
10

1/19

*Fig. 1a*

2/19





Fig. 1b

3/19

*Fig. 2a*






Fig. 2b

5/19




Fig. 2c

6/19

Fig. 3

The diagram illustrates a lottery ticket layout with three boards, each containing a list of numbers and selection options. The boards are labeled \$2 BOARD A, \$2 BOARD B, and \$2 BOARD C. Each board has a 'LOTTERY TYPE' section with numbers 1 through 10, a 'SURPRISE PICK' checkbox, and a 'VOID' checkbox. The numbers are arranged in a grid format, with each board having its own set of numbers.

**Board A (\$2 BOARD A):**

01 02 03 04 05	06 07 08 09 10	11 12 13 14 15	16 17 18 19 20	21 22 23 24 25	26 27 28 29 30	31 32 33 34 35	36 37 38 39 40	41 42 43 44 45	46 47 48 49 50	51 52 53 54 55	56 57 58 59 60	61 62 63 64 65	66 67 68 69 70	71 72 73 74 75	76 77 78 79 80	81 82 83 84 85	86 87 88 89 90	91 92 93 94 95	96 97 98 99
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-------------

**Board B (\$2 BOARD B):**

01 02 03 04 05	06 07 08 09 10	11 12 13 14 15	16 17 18 19 20	21 22 23 24 25	26 27 28 29 30	31 32 33 34 35	36 37 38 39 40	41 42 43 44 45	46 47 48 49 50	51 52 53 54 55	56 57 58 59 60	61 62 63 64 65	66 67 68 69 70	71 72 73 74 75	76 77 78 79 80	81 82 83 84 85	86 87 88 89 90	91 92 93 94 95	96 97 98 99
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-------------

**Board C (\$2 BOARD C):**

01 02 03 04 05	06 07 08 09 10	11 12 13 14 15	16 17 18 19 20	21 22 23 24 25	26 27 28 29 30	31 32 33 34 35	36 37 38 39 40	41 42 43 44 45	46 47 48 49 50	51 52 53 54 55	56 57 58 59 60	61 62 63 64 65	66 67 68 69 70	71 72 73 74 75	76 77 78 79 80	81 82 83 84 85	86 87 88 89 90	91 92 93 94 95	96 97 98 99
----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-------------

Labels and callouts in the diagram include: 117, 119, 111, 121, 113, 115, 123, and 110.

7/19




FIG. 4

8/19

NEW **P O W E R** BALL

D.C. LOTTERY

142

INSERT FACE UP		SELECT PAYMENT OPTION		BOARD A \$1		BOARD B \$1		BOARD C \$1		BOARD D \$1		BOARD E \$1	
HSA		ANNY		VOID BOARD A		VOID BOARD B		VOID BOARD C		VOID BOARD D		VOID BOARD E	
PICK 5		PICK 5		PICK 5		PICK 5		PICK 5		PICK 5		PICK 5	
1 2 3 4 5 6 7 8 9		1 2 3 4 5 6 7		1 2 3 4 5 6 7		1 2 3 4 5 6 7		1 2 3 4 5 6 7		1 2 3 4 5 6 7		1 2 3 4 5 6 7	
10 11 12 13 14 15 16 17		8 9 10 11 12 13 14		8 9 10 11 12 13 14		8 9 10 11 12 13 14		8 9 10 11 12 13 14		8 9 10 11 12 13 14		8 9 10 11 12 13 14	
18 19 20 21 22 23 24 25		15 16 17 18 19 20 21		15 16 17 18 19 20 21		15 16 17 18 19 20 21		15 16 17 18 19 20 21		15 16 17 18 19 20 21		15 16 17 18 19 20 21	
26 27 28 29 30 31 32 33		22 23 24 25 26 27 28		22 23 24 25 26 27 28		22 23 24 25 26 27 28		22 23 24 25 26 27 28		22 23 24 25 26 27 28		22 23 24 25 26 27 28	
34 35 36 37 38 39 40 41		29 30 31 32 33 34 35		29 30 31 32 33 34 35		29 30 31 32 33 34 35		29 30 31 32 33 34 35		29 30 31 32 33 34 35		29 30 31 32 33 34 35	
42 43 44 45 46 47 48 49		36 37 38 39 40 41 42		36 37 38 39 40 41 42		36 37 38 39 40 41 42		36 37 38 39 40 41 42		36 37 38 39 40 41 42		36 37 38 39 40 41 42	


140

141

144

FIG. 5A

9/19



*Fig. 5B*

10/19

Supresinha							
1	2	3	4	5	6	7	8

Teimosinha	
2	4

*Fig. 6A*

11/19

160

Supresinha							
1	2	3	4	5	6	7	8
<hr/>							
Teimosinha		To Play the lotteries Lotto mark →					<input type="checkbox"/>
2	4		Lotteries Lotto extra slip →				<input type="checkbox"/>
<hr/>							

161

163

*Fig. 6B*



12/19

111	113	115	Tied Code
\$2 BOARD A	\$2 BOARD B	\$2 BOARD C	Tied Code
LOTTERY TYPE SURPRISE PICK [01] [02] [03] [04] [05] [06] [07] [08] [09] [10] [11] [12] [13] [14] [15] [16] [17] [18] [19] [20] [21] [22] [23] [24] [25] [26] [27] [28] [29] [30] [31] [32] [33] [34] [35] [36] [37] [38] [39] [40] [41] [42] [43] [44] [45] [46] [47] [48] [49] [50] [51] [52] [53] [54] [55] [56] [57] [58] [59] [60] [61] [62] [63] [64] [65] [66] [67] [68] [69] [70] [71] [72] [73] [74] [75] [76] [77] [78] [79] [80] [81] [82] [83] [84] [85] [86] [87] [88] [89] [90] [91] [92] [93] [94] [95] [96] [97] [98] [99] [100]	LOTTERY TYPE SURPRISE PICK [01] [02] [03] [04] [05] [06] [07] [08] [09] [10] [11] [12] [13] [14] [15] [16] [17] [18] [19] [20] [21] [22] [23] [24] [25] [26] [27] [28] [29] [30] [31] [32] [33] [34] [35] [36] [37] [38] [39] [40] [41] [42] [43] [44] [45] [46] [47] [48] [49] [50] [51] [52] [53] [54] [55] [56] [57] [58] [59] [60] [61] [62] [63] [64] [65] [66] [67] [68] [69] [70] [71] [72] [73] [74] [75] [76] [77] [78] [79] [80] [81] [82] [83] [84] [85] [86] [87] [88] [89] [90] [91] [92] [93] [94] [95] [96] [97] [98] [99] [100]	LOTTERY TYPE SURPRISE PICK [01] [02] [03] [04] [05] [06] [07] [08] [09] [10] [11] [12] [13] [14] [15] [16] [17] [18] [19] [20] [21] [22] [23] [24] [25] [26] [27] [28] [29] [30] [31] [32] [33] [34] [35] [36] [37] [38] [39] [40] [41] [42] [43] [44] [45] [46] [47] [48] [49] [50] [51] [52] [53] [54] [55] [56] [57] [58] [59] [60] [61] [62] [63] [64] [65] [66] [67] [68] [69] [70] [71] [72] [73] [74] [75] [76] [77] [78] [79] [80] [81] [82] [83] [84] [85] [86] [87] [88] [89] [90] [91] [92] [93] [94] [95] [96] [97] [98] [99] [100]	[A] [B] [C] [D] [E] [F] [0] [0] [0] [1] [1] [1] [2] [2] [2] [3] [3] [3] [4] [4] [4] [5] [5] [5] [6] [6] [6] [7] [7] [7] [8] [8] [8] [9] [9] [9]

200

FIG. 7A

13/19

115

BOARD C			Tied Code		
03] [04] [05]	S U R P R I S E	L O T T E R Y	[A] [B] [C]	201	
08] [09] [10]			[D] [E] [F]		
13] [14] [15]			[G] [H] [I]		
18] [19] [20]			[J] [K] [L]		
23] [24] [25]			[M] [N] [O]		
28] [29] [30]			[P] [Q] [R]		
33] [34] [35]			[S] [T] [U]		
38] [39] [40]			[V] [W] [X]		
43] [44] [45]			[Y] [Z] [A]		
48] [49] [50]			[B] [C] [D]		
53] [54] [55]	P I C K	T Y P E	[E] [F] [G]		
58] [59] [60]			[H] [I] [J]		
63] [64] [65]			[K] [L] [M]		
68] [69] [70]			[N] [O] [P]		

200

FIG. 7B

14/19

MIDI KEYPTUR: 28.04.98  
KL: 10:47:45  
-----GJALFVAL-----

A. 02 03 12 19 24 31  
B. 15 22 26 29 34 48  
C. 08 09 10 12 19 48

-----

VERD: 250 KR  
GILOIR 29.04.98  
LM900489 118-02710663-177  
-----

LOTTERIES LOTTO CODE AL039

211 points to the list of numbers A, B, and C.

213 points to the bottom section containing VERD, GILOIR, and LOTTERIES LOTTO CODE.

210

FIG. 7C

220

Sunday "A" ↓		WEEK ← 12:01 Sunday A to 12:00 Sunday B →							Sunday ↓ "B"	
Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	
...	1	2	3	4	5	6	7	8	9	

Fig. 8

16/19


<input type="checkbox"/>	DEFAULT PLAY MODE <input type="checkbox"/>														PERSONALIZED PLAY MODE <input type="checkbox"/>														S E E B A C K F O R I N S T R U C T I O N S A N D S A M P L E S	
<input type="checkbox"/>	CHOOSE THE TYPE OF LOTTERY: [01] [02] [03] [04] [05] [06] [07] [08] [09] [10]																													255
<input type="checkbox"/>	CHOOSE YOUR FAVORITE NUMBERS																													257
<input type="checkbox"/>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15															
<input type="checkbox"/>	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30															
<input type="checkbox"/>	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45															
<input type="checkbox"/>	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60															
<input type="checkbox"/>	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75															
<input type="checkbox"/>	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90															
<input type="checkbox"/>	91	92	93	94	95	96	97	98	99	SURPRISE => <input type="checkbox"/>														259						
<input type="checkbox"/>	HOW MANY NUMBERS [1] [2] [3] [4] [5] [6] [7] [8] [9] [10]																												261	
<input type="checkbox"/>	FOR THE QUICK PICK: [11] [12] [13] [14] [15] [16] [18] [20] [22] [25]																													
<input type="checkbox"/>	CHOOSE THE MATRIX - PERSONALIZED PLAYS ONLY:																													
<input type="checkbox"/>	[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] OR CHOOSE ALL																												263	
<input type="checkbox"/>	[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] MATRICES => <input type="checkbox"/>																													
<input type="checkbox"/>	SAME MATRIX POWER BALL <input type="checkbox"/> SAME MATRIX BONUS BALL <input type="checkbox"/>																												265	
<input type="checkbox"/>	ALL POWER BALL LOTTERIE <input type="checkbox"/> ALL BONUS BALL LOTTERIES <input type="checkbox"/>																													
<input type="checkbox"/>	YES TO LOTTERIES WITH UP TO THREE SERIES OF DRAWS => <input type="checkbox"/>																													
<input type="checkbox"/>	CHOOSE A GROUP OF LOTTERIES => [A] [B] [C] [D] [E] [F]																												267	
<input type="checkbox"/>	FOR MULTI-DRAWS MARK => [04] [08] [12] [24] [52]																												269	
<input type="checkbox"/>	YES TO BET PARCIAL HITS EXTRA JACKPOT => <input type="checkbox"/>																													
<input type="checkbox"/>	YES TO BET <u>EXTRA JACKPOT</u> FOR "ALL WINNERS OF THE WEEK" OF ALL TYPES OF LOTTERIES => <input type="checkbox"/>																												271	
<input type="checkbox"/>	LOTTERIES LOTTO SPECIAL CODE MARK HERE																				MARK TO VOID ALL <input type="checkbox"/>								275	
<input type="checkbox"/>	[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] [A] [B]																													
<input type="checkbox"/>	[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] [C] [D]																													
<input type="checkbox"/>	[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] [E] [F]																													


250

FIG. 9

273

17/19

*Fig. 10*



*Fig. 11*




Fig. 12.



(19) World Intellectual Property Organization  
International Bureau(43) International Publication Date  
11 October 2001 (11.10.2001)

PCT

(10) International Publication Number  
WO 01/74460 A3

- (51) International Patent Classification<sup>7</sup>: A63F 3/08 (74) Agent: AOKI, Erica; Moreira Lima, Royster e Ohno Advogados Associados, Av. Paulista, 1842-cj. 188 (Torre Norte), Sao Paulo, SP 01310-923 (BR).
- (21) International Application Number: PCT/IB01/00666
- (22) International Filing Date: 30 March 2001 (30.03.2001) (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 09/541,592 3 April 2000 (03.04.2000) US (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant and  
(72) Inventor: MUNIZ, Mario, V. [BR/BR]; Rua Volny Martins, 20, Florianopolis, CEP-88037-240 Santa Catarina, SC (BR).

[Continued on next page]

(54) Title: LOTTERY GAME

DEFAULT PLAY MODE <input type="checkbox"/>		PERSONALIZED PLAY MODE <input type="checkbox"/>		S											
CHOOSE THE TYPE OF LOTTERY: [01] [02] [03] [04] [05] [06] [07] [08] [09] [10]				E											
CHOOSE YOUR FAVORITE NUMBERS				B											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	A
16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	C
31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	K
46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	F
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	O
76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	R
91	92	93	94	95	96	97	98	99	SURPRISE $\Rightarrow$ [ ]						I
HOW MANY NUMBERS [1] [2] [3] [4] [5] [6] [7] [8] [9] [10]				N											
FOR THE QUICK PICK: [11] [12] [13] [14] [15] [16] [17] [18] [19] [20] [21] [22] [23]				T											
CHOOSE THE MATRIX - PERSONALIZED PLAYS ONLY: [0] [1] [2] [3] [4] [5] [6] [7] [8] [9] OR CHOOSE ALL [0] [1] [2] [3] [4] [5] [6] [7] [8] [9] MATRICES $\Rightarrow$ [ ]				R											
SAME MATRIX POWER BALL <input type="checkbox"/> SAME MATRIX BONUS BALL <input type="checkbox"/>				U											
ALL POWER BALL LOTTERIES <input type="checkbox"/> ALL BONUS BALL LOTTERIES <input type="checkbox"/>				C											
YES TO LOTTERIES WITH UP TO THREE SERIES OF DRAWS $\Rightarrow$ [ ]				T											
CHOOSE A GROUP OF LOTTERIES $\Rightarrow$ [A] [B] [C] [D] [E] [F]				O											
FOR MULT-DRAWS MARK $\Rightarrow$ [04] [08] [12] [24] [52]				N											
YES TO BET PARCIAL HITS EXTRA JACKPOT $\Rightarrow$ [ ]				S											
YES TO BET EXTRA JACKPOT FOR ALL WINNERS OF THE WEEK OF ALL TYPES OF LOTTERIES $\Rightarrow$ [ ]				A											
LOTTERIES LOTTO SPECIAL CODE MARK HERE				M											
[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] [A] [B]				P											
[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] [A] [B]				L											
[0] [1] [2] [3] [4] [5] [6] [7] [8] [9] [A] [B]				E											
MARK TO VOID ALL <input type="checkbox"/>				S											

(57) Abstract: A new lottery game provides players with an expanded opportunity to win a prize based on a play. The new lottery game increases official lottery revenues by encouraging increased play of local lotteries. The new lottery game includes a system and a method for monitoring lottery results in jurisdictions other than that of the player. A player in one jurisdiction may play a local lottery game and not match the draw in that jurisdiction. However, the numbers chosen by the player may match a draw conducted in another jurisdiction. In this event, the player may win a consolation prize that may be smaller in amount than the jackpot awarded in the player's own jurisdiction. Whereas before the player would have won nothing from the player's own local lottery, the player playing the new lottery game at least wins some money. The lottery game may be twined, or coupled to a local lottery game. In determining what play to make in the new lottery, the player may choose numbers according to a type of the coupled local lottery. The lottery game may only be played by a player who first plays the local lottery game. The lottery game also may be played as a stand alone game.

WO 01/74460 A3



**Published:**

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**(88) Date of publication of the international search report:**  
28 March 2002

# INTERNATIONAL SEARCH REPORT

Intern. Application No

PCT/IB 01/00666

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 A63F3/08

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A63F G07F G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 99 26204 A (SARNO) 27 May 1999 (1999-05-27)  page 1, line 13 -page 2, line 2 page 4, line 24 -page 7, line 2 claims 1,5,6; figures	1,2,8, 11-18, 46-48,56
X	DE 195 02 613 A (EIBA) 1 August 1996 (1996-08-01) the whole document	1,12,46
X	WO 99 42964 A (SWISSCOM) 26 August 1999 (1999-08-26) the whole document	1,2,8, 12,46



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

\* Special categories of cited documents:

- 'A' document defining the general state of the art which is not considered to be of particular relevance
- 'E' earlier document but published on or after the international filing date
- 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- 'O' document referring to an oral disclosure, use, exhibition or other means
- 'P' document published prior to the international filing date but later than the priority date claimed

- 'T' later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- 'X' document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- 'Y' document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- '&' document member of the same patent family

Date of the actual completion of the international search

13 November 2001

Date of mailing of the international search report

19/11/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Raybould, B

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IB 01/00666

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9926204	A	27-05-1999	AU 738316 B2	13-09-2001
			AU 1462199 A	07-06-1999
			BR 9815619 A	24-10-2000
			EP 1032924 A1	06-09-2000
			WO 9926204 A1	27-05-1999
			US 6024641 A	15-02-2000
DE 19502613	A	01-08-1996	DE 19502613 A1	01-08-1996
			AT 184721 T	15-10-1999
			AU 4664296 A	14-08-1996
			BR 9606847 A	25-11-1997
			CA 2211297 A1	01-08-1996
			CN 1174620 A	25-02-1998
			CZ 9702296 A3	17-12-1997
			DE 59603068 D1	21-10-1999
			WO 9623289 A1	01-08-1996
			EP 0806024 A1	12-11-1997
			FI 973046 A	19-09-1997
			HU 9800695 A2	28-07-1998
			JP 10512984 T	08-12-1998
			NO 973355 A	05-09-1997
			PL 321544 A1	08-12-1997
			SK 101397 A3	04-02-1998
			US 6117013 A	12-09-2000
WO 9942964	A	26-08-1999	AU 2262599 A	06-09-1999
			BR 9908097 A	31-10-2000
			WO 9942964 A1	26-08-1999
			EP 1057147 A1	06-12-2000